

**THE STATE OF ALASKA**  
**Department of Environmental Conservation**  
**Laboratory Certification Program**

**Scope of Accreditation**


**Expiration: 10/31/2011**

**Analytica Group - Anchorage    AK00969**  
**4307 Arctic Boulevard**  
**Anchorage, AK 99503**

is certified by the State of Alaska Department of Environmental Conservation, pursuant to 18 AAC 80, to perform analysis for the parameters listed below using the analytical methods indicated. Accreditation for all parameters is final unless indicated in a note. Accreditation is for the latest version of a method unless specified otherwise in a note. EPA refers to the U.S. Environmental Protection Agency. SM refers to American Public Health Association's publication, Standard Methods for the Examination of Water and Wastewater, 18th, 19th or 20th Edition unless otherwise noted. ASTM refers to the American Society for Testing and Materials.

**Drinking Water Chemistry**

<b>Method/Test Name</b>	<b>Reference</b>	<b>Analyte</b>	<b>Matrix</b>	<b>Status</b>
2120B	SM	Color	Water	Approved
2130B	SM	Turbidity	Water	Approved
2150B	SM	Odor	Water	Approved
2320B	SM	Alkalinity	Water	Approved
2330B	SM	Corrosivity	Water	Approved
2510B	SM	Conductivity	Water	Approved
2540C	SM	TDS	Water	Approved
4500-H-B	SM	pH	Water	Approved
4500-NO2-B	SM	Nitrite-N	Water	Approved
4500-NO3-E	SM	Nitrate-Nitrite as N	Water	Approved
5540C	SM	MBAS-Foaming Agents	Water	Approved
5910B	SM	UV 254	Water	Approved



**THE STATE OF ALASKA**  
Department of Environmental Conservation  
Laboratory Certification Program

*Certificate for Chemical Analysis in Drinking Water*

**SP Analytica, Inc.-Anchorage**

4307 Arctic Blvd  
Anchorage, AK 99503

AK00969

has complied with the provisions set forth in 18 AAC 80 and is hereby recognized by The Department of Environmental Conservation as **Fully Certified** for the analytical parameter listed on the accompanying Scope of Accreditation. This certificate is effective **10/31/10**, and expires **10/31/11**.

  
Parryce D. McKinney  
State of Alaska Certification Authority



  
Lance W. Morris  
Laboratory Chemistry Certification Officer